Package: occ (via r-universe)

August 23, 2024

Type Package

Title Estimation of PET Neuroreceptor Occupancies

Version 1.2

Date 2024-08-02

Description Estimate the positron emission tomography (PET) neuroreceptor occupancies from the total volumes of distribution of a set of regions of interest. Fitting methods include the simple 'reference region', 'ordinary least squares' (sometimes known as occupancy plot), and 'restricted maximum likelihood estimation'.

License GPL-3

LazyData true

NeedsCompilation no

Author Joaquim Radua [aut, cre] (<https://orcid.org/0000-0003-1240-5438>)

Maintainer Joaquim Radua <quimradua@gmail.com>

Date/Publication 2024-08-22 21:10:02 UTC

Repository https://jrad1.r-universe.dev

RemoteUrl https://github.com/cran/occ

RemoteRef HEAD

RemoteSha 6a39e870fd00546ad0ca9cca8d5a0a0603ca9046

Contents

	осс		•		•			 •			•	•	•	•	 •				•	•		•	•	•		•		•	•	•	•	•	2
	occ.example	•••	•	 •	•	•	•	 •	•	•	•	•	•	•	 •	•	•	•	•	•	•	•	•	•	 •	•	•	•	•	•	•	•	4
Index																																	5

Description

This function estimates positron emission tomography (PET) neuroreceptor occupancies from the total volumes of distribution (VT) of a set of regions of interest (ROI). Fittings methods include the simple 'reference region' ("ref"), 'ordinary least squares' ("ols", sometimes known as occupancy plot), and 'restricted maximum likelihood' estimation ("reml").

Usage

occ(VT, method = "reml")

Arguments

VT	matrix of total volumes of distribution (VT). Each row must have the VT val-
	ues of an ROI. The first column must have the baseline VT values, the second
	column must have the first-postdose VT values, the third column must have the second-postdose VT values, etc. See "occ.example" example below.
method	one of either "ref" (reference region), "ols" (ordinary least squares), or "reml" (restricted maximum likelihood estimation). Please read the assumptions of
	each method below in Details.

Details

The reference region ("ref") method assumes that: a) neuroreceptor occupancy is different in each ROI; b) non-displaceable volume of distribution (VND) is different in each scan; c) specific volumes of distribution (VS) are the same in all scans; d) VS of the first ROI is null; and e) all measurement errors are negligible. Assumptions d) and e) may be unrealistic in many cases.

The ordinary least squares ("ols") method assumes that: a) neuroreceptor occupancy is the same in all ROIs; b) VND is different in each postdose scan; c) baseline VND is equal to all postdose VND; d) VS are different in each postdose scan; e) baseline VS are equal to all postdose VS; f) measurement errors are different in each scan; and g) measurement error of baseline scan is null. Assumptions c) and e) may lead to multiple (i.e., mathematically impossible) baseline estimates in studies with more than one postdose scan. Also, note that assumption g) may be unrealistic in many cases.

The restricted likelihood estimation ("reml") method assumes that: a) neuroreceptor occupancy is the same in all ROIs; b) VND is the same in all scans; c) VS are the same in all scans; and d) measurement error is the same in all scans.

Value

An object of class occ, basically a list including the following elements:

VT the observed total volumes of distribution coefficients the neuroreceptor occupancy coefficients

occ

occ

VND	the non-displaceable volumes of distribution of each scan
VS	the specific volumes of distribution
sigma	the measurement error in each scan
fitted.values	the fitted VT
residuals	the residuals, that is, observed VT minus fitted VT

Author(s)

Joaquim Radua

References

Radua J, Bullich S, Lopez N and Catafau AM. Restricted maximum likelihood estimation of PET neuroreceptor occupancy in the absence of a reference region. Medical Physics 2011;38:2558.

Doi: 10.1118/1.3578606 (http://dx.doi.org/10.1118/1.3578606)

Examples

```
## Total volumes of distribution (VT) from a simulated PET study
## including a baseline scan, as well as two other scans after
## administration of a drug. Note that each row in the matrix
## represents an ROI, while each column represents a scan.
data(acc example)
```

data(occ.example)
occ.example

#		Baseline	1st postdose	2nd postdose
#	Cerebellum	0.39	0.28	0.30
#	Frontal cortex	0.72	0.35	0.47
#	Occipital cortex	0.96	0.43	0.62
#	Parietal cortex	0.75	0.34	0.50
#	Temporal cortex	0.44	0.26	0.31

Default REML fitting of these simulated data:

m = occ(occ.example)

print(m) # Prints the neuroreceptor occupancy coefficients

- fitted(m) # Prints the fitted values
- residuals(m) # Prints the residuals

occ.example

Description

The data represent the total volumes of distribution (VT) from a simulated PET study, including a baseline scan and two other scans after administering a drug.

Usage

occ.example

Format

A matrix of total volumes of distribution (VT) with five rows (ROIs) and three columns (scans).

Examples

data(occ.example)
occ.example

#		Baseline	1st	postdose	2nd postdose
#	Cerebellum	0.39		0.28	0.30
#	Frontal cortex	0.72		0.35	0.47
#	Occipital cortex	0.96		0.43	0.62
#	Parietal cortex	0.75		0.34	0.50
#	Temporal cortex	0.44		0.26	0.31

Find the neuroreceptor occupancy in each scan:

summary(occ(occ.example))

Plot the estimated and observed volumes of distribution:

plot(occ(occ.example))

Index

* PET occ, 2* maximum likelihood estimation occ, 2* neuroreceptor occupancy occ, 2 * neuroreceptor occ, 2 * occ.example occ.example, 4 * occupancy plot occ, 2 * occupancy $\operatorname{occ}, 2$ * positron emission tomography occ, 2 ***** receptor occupancy occ, 2 * receptor occ, **2 *** reference region occ, 2* restricted maximum likelihood estimation occ, 2 occ, 2 occ.example,4 plot.occ(occ), 2print.occ(occ), 2

print.summary.occ(occ), 2

summary.occ(occ), 2